

No-Z-28016/115/2017-PMSSY-III
Government of India
Ministry of Health & Family Welfare
PMSSY Division


Minutes of 2nd Pre -bid Meeting held on 14-12-2018 at 3:00 PM in Room No-315, 3rd Floor, Indian Red Cross Building, New Delhi.

The following points were discussed :-

- (i) The representative of CEIL asked, "whether the work of TPQA involves the medical equipment component or not". It was explained by the Director that TPQA work is related to civil construction work only and no medical equipment work is involved in the scope of TPQA.
- (ii) The representative of M/s RITES told that reply to their all queries raised in 1st pre-bid meeting have been uploaded by the PMSSY on the site of PMSSY and they have noted it.
- (iii) The representative of M/s KITCO Ltd. mentioned that they are involved in consultancy services to a wide range of clientele mainly public sector under takings and various departments of Govt. of India & Govt. of Kerala. On checking of portfolio of M/s KITCO Ltd, on net during the meeting it is found that M/s KITCO Ltd. is not a CPSU nor an Institute. Hence they can not be allowed to participate in the Bid process. However the reply of queries raised by M/s KITCO Ltd. during the meeting following clarifications are being given for the guidance of other participants :-

S.No	Points raised by MIS Kitco Ltd.	Reply given to participants by PMSSY
1.	Whether TPQA staff would be involved during Defect liability period if yes then kindly specify the DLP period.	No, the TPQA staff will not be involved during defect liability period.
2.	Whether occasional visit at site is required (frequency of visits to be clarified) or site posting is required and detail of staff strength to be cleared.	Periodical visit depending upon the progress of work will be required by the TPQA team and no site posting of TPQA team shall be required.
3.	Whether TPQA to establish the site office, if yes whether TPQA office, electricity, water facility at site would be provided free of cost.	No site office shall be required by TPQA staff.

4.	Whether TPQA to attend the factory test of material which would be used for construction. If yes then whether cost would be reimbursed.	The cost of factory test of material shall be borne by the Executing Agency.
5.	Whether presence of TPQA in progress meetings is must. Kindly clarify the frequency of progress meeting.	Whenever it is needed, the representative of TPQA will be invited to attend the progress meetings and no extra payment shall be admissible on this account.



(SHAMBHU KUMAR)

UNDER SECRETARY TO GOVT.OF INDIA

TEL.NO. - 23736977